



Front colours



no. 794 sand oak



No. 894 glass Optiwhite matt
outer edges in sand oak



No. 895 glass grey matt
outer edges in sand oak

Carcase colours



Carrier material in
no. 194
sand oak



Carrier material in
no. 310 glass
grey matt

Visible side colours
No. 307 glass
Optiwhite matt

Visible side colours
No. 310 glass
grey matt

Handle and technique variations



handleless

No. 558
Premium - Push to open Silent
No. 005
Push to open



No. 329
Strip- handle chrome
No. 554
Pull out with premium soft
close
No. 003
door with integrated buffered
closing

Washbasin colours

STONEPLUS washbasins



No. 61
white **STONEPLUS®**

New, harder, easy-care
surface.

Glass washbasin



no. 82
optiwhite



no. 92
optiwhite matt

Illustrations and specifications are without obligation. Technical modifications reserved.
2017/2018

Please note the instruction for warranty, mounting and care, and the quality agreements as well, at the beginning of the book.

Program 056 - type list


The numbers represent POINTS not prices

Depth indication corresponds to the carcase depth

Mirrors



	Depth in mm	Width in mm	Height in mm	Article number	Hinge
  mirror, 600 mm LED- lighting (18,6 W.) at top and bottom with mirror heating 15 watt inkl. converter 60 Watt / 24 V. energy efficiency class: A Emotion lighting 1 sensor for mirror heating	33	600	672	F S A 4 3 6 0 8 9	
  Mirror, 900 mm LED- lighting (27,9 W.) at top and bottom with mirror heating 15 watt inkl. converter 60 Watt / 24 V. energy efficiency class: A Emotion lighting 1 sensor for mirror heating	33	900	672	F S A 4 3 9 0 8 9	
  Mirror, 1200 mm LED- lighting (37,2 W.) at top and bottom with mirror heating 15 watt inkl. converter 60 Watt / 24 V. energy efficiency class: A Emotion lighting 1 sensor for mirror heating	33	1200	672	F S A 4 3 1 2 8 9	

Mirror cabinets

  Mirror cabinet, 600 mm 2 mirror doors on wooden-plated 1 central partition 4 glass shelves 1 LED panel light (8,5 watt) 1 LED converter 12 V, 15 watt large door with mirror heating 15 watt inkl. converter 15 Watt / 24 V. energy efficiency class: A Emotion lighting 1 switch socket element Door width: 396 mm / 196 mm	150	600	672	S 2 A 4 3 6 L 8 9	
Mirror cabinet, 600 mm Description as above, though without mirror heating and converter 24 volt	150	600	672	S 2 A 4 3 6 L 9 1	

Program 056 - type list

The numbers represent POINTS not prices

Depth indication corresponds to the carcase depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge					
Mirror cabinets													
	Mirror cabinet, 900 mm 3 mirror doors on wooden-plated 6 glass shelves 2 central partitions, 1 LED panel light (13,2 watt) 1 LED converter 12 V, 30 watt energy efficiency class: A central door with mirror heating 15 watt inkl. converter 15 Watt / 24 V. Emotion lighting 1 switch socket element Door width: 238 mm / 412 mm / 238 mm	150	900	672	S	2	A	4	3	9	A	8	9
	Mirror cabinet, 900 mm Description as above, though without mirror heating and converter 24 volt	150	900	672	S	2	A	4	3	9	A	9	1
	Mirror cabinet, 1200 mm 3 mirror doors on wooden-plated 2 central partitions, 6 glass shelves 1 LED panel light (17,8 watt) 1 LED converter 12 V, 30 watt energy efficiency class: A central door with mirror heating 15 watt inkl. converter 15 Watt / 24 V. Emotion lighting 1 switch socket element Door width: 388 mm / 412 mm / 388 mm	150	1200	672	S	2	A	4	3	1	A	8	9
	Mirror cabinet, 1200 mm Description as above, though without mirror heating and converter 24 volt	150	1200	672	S	2	A	4	3	1	A	9	1
STONEPLUS washbasins													
 STONEPLUS®	STONEPLUS washbasin, 600 mm colour white inkl. concealed overflow system chrome finish can be combined with WUA 3360 23, WUA 3360 30	500	620	15	W	M	S	5	0	6	0	6	1
 STONEPLUS®	STONEPLUS washbasin, 900 mm colour white inkl. concealed overflow system chrome finish can be combined with WUA 3390 23, WUA 3390 30	500	920	15	W	M	S	5	0	9	0	6	1
 STONEPLUS®	STONEPLUS washbasin, 1.200 mm colour white inkl. concealed overflow system chrome finish can be combined with WUA 3312 23, WUA 3312 30	500	1220	15	W	M	S	5	1	2	0	6	1

Program 056 - type list




The numbers represent POINTS not prices

Depth indication corresponds to the carcase depth

STONEPLUS washbasins

	STONEPLUS double washbasin, 1200 mm, colour white inkl. 2 concealed overflow systems chrome finish can be combined with WUA 332D 23, WUA 332D 30	500	1220	15	WMS 7 1 2 0 6 1		

Glass washbasin



	Glass washbasin, 600 mm inkl. concealed overflow system chrome finish Colour Optiwhite Colour Optiwhite matt can be combined with WUA 3360 23, WUA 3360 30 order additional: neutrally bonding silicone see accessories - PZ 1235	500 500	620 620	13 13	SWG 5 0 6 0 8 2 SWG 5 0 6 0 9 2		
	Glass washbasin, 900 mm inkl. concealed overflow system chrome finish Colour Optiwhite Colour Optiwhite matt can be combined with WUA 3390 23, WUA 3390 30 order additional: neutrally bonding silicone see accessories - PZ 1235	500 500	920 920	13 13	SWG 5 0 9 0 8 2 SWG 5 0 9 0 9 2		
	Glass washbasin, 1200 mm inkl. concealed overflow system chrome finish Colour Optiwhite Colour Optiwhite matt can be combined with WUA 3312 23, WUA 3312 30 order additional: neutrally bonding silicone see accessories - PZ 1235	500 500	1220 1220	13 13	SWG 5 1 2 0 8 2 SWG 5 1 2 0 9 2		
	Glass double washbasin, 1200 mm inkl. 2 concealed overflow systems chrome finish Colour Optiwhite Colour Optiwhite matt can be combined with WUA 332D 23, WUA 332D 30 order additional: neutrally bonding silicone see accessories - PZ 1235	500 500	1220 1220	13 13	SWG 7 1 2 0 8 2 SWG 7 1 2 0 9 2		

Program 056 - type list

The numbers represent POINTS not prices





Depth indication corresponds to the carcase depth

Washbasin base units handleless / Push to open

		Depth in mm	Width in mm	Height in mm	Article number	Hinge
	Washbasin base unit 600 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail 1 Space-saving drain stretch trap	470	600	480	W U A 3 3 6 0 2 3	
	washbasin base unit 900 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail 1 Space-saving drain stretch trap	470	900	480	W U A 3 3 9 0 2 3	
	washbasin base unit 1200 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail 1 Space-saving drain stretch trap for single washbasin solution	470	1200	480	W U A 3 3 1 2 2 3	
	washbasin base unit 1200 mm 2 metal pull out units with buffered closing and syphon cut-out 2 metal pull outs with buffered closing and rail 2 Space-saving drain stretch traps for double washbasin solutions	470	1200	480	W U A 3 3 2 D 2 3	
Washbasin base units with handles / without Push to open						
	Washbasin base unit 600 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail 1 Space-saving drain stretch trap	470	600	480	W U A 3 3 6 0 3 0	
	washbasin base unit 900 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail 1 Space-saving drain stretch trap	470	900	480	W U A 3 3 9 0 3 0	
	washbasin base unit 1200 mm 1 metal pull out unit with buffered closing 1 metal pull-out with buffered closing incl. drawer rail 1 Space-saving drain stretch trap for single washbasin solution	470	1200	480	W U A 3 3 1 2 3 0	

Program 056 - type list

The numbers represent POINTS not prices


Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge
Washbasin base units with handles / without Push to open								
	washbasin base unit 1200 mm 2 metal pull out units with buffered closing and syphon cut- out 2 metal pull outs with buffered closing and rail 2 Space-saving drain stench traps for double washbasin solutions	470	1200	480	W U A 3 3 2 D 3 0			
Central units								
	Central unit 1 door 4 glass shelves 1 glass top cover 326 mm deep	300	308	1286	M N A 8 1 3 A	3	L/R	
III. with handles								
	Central unit 2 doors 4 glass shelves 1 glass top cover 326 mm deep	300	608	1286	M N A 8 1 6 A	3		
III. with handles								
Highboards								
	Highboard 1 door 2 glass shelves 1 glass top cover 326 mm deep	300	308	806	H B A 5 1 3 A	3	L/R	
III. with handles								
	Highboard 2 doors 2 glass shelves 1 glass top cover 326 mm deep	300	608	806	H B A 5 1 6 A	3		
III. with handles								

Program 056 - type list

The numbers represent POINTS not prices

Depth indication corresponds to the carcass depth

Highboards



Ill. with handles

Highboard with laundry pull out
2 doors
1 laundry pull out
Volume of laundry pull out: 40 liters
1 glass top cover 326 mm deep

Depth
in mm

Width
in mm

Height
in mm

Article number

Hinge

300

608

806

H B A 5 1 6 W A 3

Base units



Ill. with handles

Base unit
1 door
1 glass shelf
1 glass top cover 326 mm deep

300

308

486

U N A 3 1 3 A 3 L/R



Ill. with handles

Base unit
2 doors
1 glass shelf
1 glass top cover 326 mm deep

300

608

486

U N A 3 1 6 A 3

Wall units



Ill. with handles


Wall unit
1 door
1 glass shelf
1 glass top cover 176 mm deep

150

308

646

O G A 4 1 3 A 3 L/R



Ill. with handles

Wall unit
2 doors
1 glass shelf
1 glass top cover 176 mm deep

150

608

646

O G A 4 1 6 A 3

Accessories



Neutrally bonding silicone for glass washbasins
310 ml cartridge

P Z 1 2 3 5

Program 056 - type list

The numbers represent POINTS not prices

Depth indication corresponds to the carcase depth

Accessories

	Depth in mm	Width in mm	Height in mm	Article number				Hinge
 Towel holder one-armed extendable Chrome hgl. for the wall attachment	330-567	44	44	P Z	1 1 3 7	1		
 Towel holder two-armed extendable Chrome hgl. for the wall attachment	322-562	87	47	P Z	1 1 3 7	2		
 LED washbasin lighting 2,4 watt energy efficiency classe: A 1 switch element to fit underneath mirror cabinet S2A 436L 89, S2A 436L 91 not suitable with Emotion lighting		560		P Z	1 0 6 3	6 0		
 LED washbasin lighting 3,9 watt energy efficiency classe: A 1 switch element to fit underneath mirror cabinet S2A 439A 89, S2A 439A 91 not suitable with Emotion lighting		860		P Z	1 0 6 3	9 0		
 LED washbasin lighting 5,3 watt energy efficiency classe: A 1 switch element to fit underneath mirror cabinet S2A 431A 89, S2A 431A 91 not suitable with Emotion lighting		1160		P Z	1 0 6 3	1 2		
 Adjustable organizer components 4 dividing elements - 600 mm cabinet width 4 dividing elements - 900 mm cabinet width 6 dividing elements- 1200 mm cabinet width				P Z P Z P Z	1 2 2 4 1 2 2 4 1 2 2 4	6 1 9 0 1 2		
 Basin organizer incl. fixing elements 2 basin organizer for 600 mm carbinet width 2 basin organizer for 900 mm carbinet width 2 basin organizer for 1200 mm carbinet width				P Z P Z P Z	1 2 3 6 1 2 3 6 1 2 3 6	6 0 9 0 1 2		
 Basin organizer without fitting elements	150	246	150	P Z	1 2 3 6	E 1		

Program 056 - type list





The numbers represent POINTS not prices

Depth indication corresponds to the carcass depth


Accessories


Depth indication corresponds to the carcass depth		Depth in mm	Width in mm	Height in mm	Article number			Hinge
Accessories								
	Cosmetic mirror 2-times magnified vacuum cup and fixation metal fixing bracket chrome		150	150	P Z	1 2 3 3		
	Touch LED Dimmer for LED mirror cabinets and lightings				P Z	1 0 5 7		


Program 056 - examples


ILS-0160-1				 600 mm wide	
1	Mirror cabinet, 600 mm	S 2 A 4 3 6 L 8 9			
1	Washbasin base unit	W U A 3 3 6 0 2 3			
1	STONEPLUS washbasin, 600 mm	W M S 5 0 6 0 6 1			
			Sum		
I L G 8 2 6 0 1	SWG 5060 82 glass optiwhite inst. Stoneplus	Sum			
I L G 9 2 6 0 1	SWG 5060 92 glass optiwhite matt inst. cast mineral	Sum			
ILS-0160-2				 600 mm wide	
1	Mirror 600 mm	F S A 4 3 6 0 8 9			
1	Washbasin base unit	W U A 3 3 6 0 2 3			
1	STONEPLUS washbasin, 600 mm	W M S 5 0 6 0 6 1			
			Sum		
I L G 8 2 6 0 2	SWG 5060 82 glass optiwhite inst. cast mineral	Sum			
I L G 9 2 6 0 2	SWG 5060 92 glass optiwhite matt inst. cast mineral	Sum			
ILS-0190-1				 900 mm wide	
1	Mirror cabinet, 900 mm	S 2 A 4 3 9 A 8 9			
1	Washbasin base unit	W U A 3 3 9 0 2 3			
1	STONEPLUS washbasin, 900 mm	W M S 5 0 9 0 6 1			
			Sum		
I L G 8 2 9 0 1	SWG 5090 82 glass optiwhite inst. cast mineral	Sum			
I L G 9 2 9 0 1	SWG 5090 92 glass optiwhite matt inst. cast mineral	Sum			
ILS-0190-2				 900 mm wide	
1	Mirror 900 mm	F S A 4 3 9 0 8 9			
1	Washbasin base unit	W U A 3 3 9 0 2 3			
1	STONEPLUS washbasin, 900 mm	W M S 5 0 9 0 6 1			
			Sum		
I L G 8 2 9 0 2	SWG 5090 82 glass optiwhite inst. cast mineral	Sum			
I L G 9 2 9 0 2	SWG 5090 92 glass optiwhite matt inst. cast mineral	Sum			

Program 056 - examples

ILS-0112-1				 1200 mm wide	
1	Mirror cabinet 1200 mm	S 2 A 4 3 1 A 8 9			
1	Washbasin base unit	W U A 3 3 1 2 2 3			
1	STONEPLUS washbasin, 1.200 mm	W M S 5 1 2 0 6 1			
			Sum		
I L G 8 2 1 2 1	SWG 5120 82 glass optiwhite inst. cast mineral		Sum		
I L G 9 2 1 2 1	SWG 5120 92 glass optiwhite matt inst. cast mineral		Sum		


ILS-0112-2				 1200 mm wide	
1	Mirror 1200 mm	F S A 4 3 1 2 8 9			
1	Washbasin base unit	W U A 3 3 1 2 2 3			
1	STONEPLUS washbasin, 1.200 mm	W M S 5 1 2 0 6 1			
			Sum		
I L G 8 2 1 2 2	SWG 5120 82 glass optiwhite inst. cast mineral		Sum		
I L G 9 2 1 2 2	SWG 5120 92 glass optiwhite matt inst. cast mineral		Sum		

ILS-0112-1D				 1200 mm wide	
1	Mirror cabinet 1200 mm	S 2 A 4 3 1 A 8 9			
1	Washbasin base unit	W U A 3 3 2 D 2 3			
1	STONEPLUS washbasin, 1.200 mm Double washbasin	W M S 7 1 2 0 6 1			
			Sum		
I L G 8 2 1 2 1 D	SWG 7120 82 glass optiwhite inst. cast mineral		Sum		
I L G 9 2 1 2 1 D	SWG 7120 92 glass optiwhite matt inst. cast mineral		Sum		


ILS-0112-2D				 1200 mm wide	
1	Mirror 1200 mm	F S A 4 3 1 2 8 9			
1	Washbasin base unit	W U A 3 3 2 D 2 3			
1	STONEPLUS washbasin, 1.200 mm Double washbasin	W M S 7 1 2 0 6 1			
			Sum		
I L G 8 2 1 2 2 D	SWG 7120 82 glass optiwhite inst. cast mineral		Sum		
I L G 9 2 1 2 2 D	SWG 7120 92 glass optiwhite matt inst. cast mineral		Sum		

Program 056 - dimensional drawings


WMS / SWG 5060



WMS / SWG 5090





WMS / SWG 5120



WMS / SWG 7120

electrical connections for mirror cabinets



STONEPLUS:

The water temperature must not exceed 55° C / 131° F. Hair tinting lotions have to be removed in a few seconds, so that staining can be avoided.

Modifications:

Technical modifications (+/- 5mm) and flatness modifications (DIN 18202) are subject of the usual material-specific modifications for construction materials, based on DIN 18202.